

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G06F 17/30, 3/00</b>		(11) International Publication Number: <b>WO 96/17314</b>
<b>A1</b>		(43) International Publication Date: 6 June 1996 (06.06.96)
(21) International Application Number: PCT/US95/15478		(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, LS, MW, SD, SZ, UG).
(22) International Filing Date: 29 November 1995 (29.11.95)		
(30) Priority Data: 08/348,362 30 November 1994 (30.11.94) US		
(71)(72) Applicant and Inventor: SALLE, Donald, A. [US/US]; 3313 Shasta Drive, San Mateo, CA 94403-3708 (US).		
(74) Agents: MCNELIS, John, T. et al.; Fenwick & West, Suite 600, Two Palo Alto Square, Palo Alto, CA 94306 (US).		


**Published**

*With international search report.  
With amended claims.*

(54) Title: SYSTEM AND METHOD FOR LOCATING AND IMPLEMENTING COMMANDS WITHOUT INVOKING A MENU HIERARCHY

(57) Abstract

A system (202) and method (308) efficiently locate program features (312) in menu-oriented software program. The system and method enable a user to locate feature in a menu-based program (310) by flattening the hierarchy without requiring prior knowledge of the terms (304) used in the menu-oriented program or the menu structure. Additionally, the system and method permit the user to customize the system (302) by inputting user-defined terms (306) and features and associating the terms (314) with a particular feature.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

SYSTEM AND METHOD FOR LOCATING AND IMPLEMENTING COMMANDS  
WITHOUT INVOKING A MENU HIERARCHY

1. Field of the Invention

5       The invention relates generally to the field of computer programs, particularly to a technique for locating menu commands in a menu-based computer program.

2. Background of the Invention

10       When working with a menu-based application software program, users frequently find it difficult to locate a particular feature command within the hierarchical labyrinth of menus. It is not uncommon to have a feature command located two or more menu layers below a main menu. A user  
15 who is unfamiliar with a particular application (host) program or who works with several different host programs may have a difficult time locating the menu from which a desired feature command can be implemented. It has been estimated that when accessing a menu in a host program, users spend  
20 approximately seventy percent of their time searching menus in an attempt to find the proper feature command. Even users who frequently use a particular program may encounter difficulty finding the menu branch that contains a desired feature, particularly if that feature is infrequently used.

25       Another problem confronting users when working in a menu-based software environment is that in order to perform a function, the user must be familiar with the terminology, i.e., the jargon, used by the software developer. The jargon for different programs may not be consistent. For example,  
30 when attempting to locate a combination of characters in a text document a user implements the "find" command when using Microsoft Word for Windows (developed by the Microsoft Corporation, Seattle, Washington, hereafter Microsoft Word), but must implement a "search" command when using WordPerfect  
35 (developed by the WordPerfect Corporation, Orem, Utah).

      Inconsistent terminology for similar features is not the only difficulty a user may encounter when using a menu-based program. Individual users can disagree as to the term that

best describes a feature. A user who wants the program to perform a feature, e.g., to locate a combination of characters in a document, may have trouble determining how to perform the feature when using a specific host program.

- 5 Using the program's "Help" menu of a program may not assist the user if the term that "best" describes an individual feature, e.g., "locate" or "locate character combination", is not in the help database. In addition, current applications do not permit the user to include terms that describe the
- 10 feature more precisely by customizing the "Help" menu. Another problem is that a user cannot customize the "Help" menu to describe easier techniques for implementing a feature, for example, using a user-defined toolbar icon or a user-defined macro. Currently, it is difficult to determine
- 15 if another user of the host program has developed an easier technique for implementing a feature.

- There have been several attempts at solving some of the above problems. In the Excel program (commercially available from Microsoft Corporation) a portion of a help menu permits
- 20 a user to perform a feature available in a competitor's program, i.e., Lotus 1-2-3 (developed by Lotus Development Corporation, Cambridge, Massachusetts). When using the help menu, an Excel user can proceed through a list of the menu names in Lotus 1-2-3 to find the name of the desired Lotus 1-
- 25 2-3 feature. Microsoft Excel can demonstrate how to perform the Lotus 1-2-3 feature using Microsoft Excel. The above technique has many problems. First, the user must be fully acquainted with the terminology of Lotus 1-2-3 in order to use this Help menu feature. Second, the terms describing the
- 30 feature are not customizable by the user, therefore the user is still restricted by the terminology used in Lotus 1-2-3. Third, the Microsoft Access "Help" feature does not flatten (level) the menu hierarchy. The Lotus 1-2-3 feature remains in the same hierarchy.

- 35 Another attempt at solving some of the above problems is an alphabetical help feature. Microsoft Word has such a help feature. When chosen, the alphabetical help feature displays

a list of terms describing the available features in the program. This technique has several problems. First, the help feature requires a knowledge of the jargon used in the program. For example, the terms "locate" and "endnote" are  
5 not found in the Microsoft Word help list. Second, the alphabetically displayed list is not customizable by the user. Third, the display is static, that is the user is not given the option of having the feature performed while in the help menu.

10 What is needed is a system and method that: (1) flattens the menu hierarchy to enable a user to easily locate a feature in a menu-based program; (2) does not require prior knowledge of the terms used in the menu-based program; (3) permits the user to customize the system by inputting user-  
15 defined terms and associating the terms with a particular feature; and (4) permits the user to implement the feature immediately, without requiring the user to backtrack or exit any menus.

## 20 SUMMARY OF THE INVENTION

The system and method of the present invention efficiently locates program features in a menu-oriented software program. The system and method enable a user to locate a feature in a menu-based program by flattening the  
25 hierarchy without requiring prior knowledge of the terms used in the menu-oriented program. Additionally, the system and method permit the user to customize the system by inputting user-defined terms and associating the terms with a particular feature, thus permitting the user to access the  
30 feature using their own terminology. The capabilities of this invention can be easily added to most application programs through an installation process that adds a Feature Finder menu item to the Help menu of the host program. The capabilities of Feature Finder can also be programmed as a  
35 part of the computer code of the host program.

### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is an illustration of a computer system in which the preferred embodiment of the present invention  
5 resides.

Figure 2 is an illustration of an application software program in which the preferred embodiment resides.

Figure 3 is an illustration of the preferred embodiment.

Figures 4A and 4B illustrate a flow diagram describing  
10 the method for creating a database for the preferred embodiment.

Figures 5A - 5C illustrate a flow diagram showing the method of the preferred embodiment.

Figure 6 is an illustration of a screen display showing  
15 a typical menu bar containing a Help menu.

Figure 7 is an illustration of a screen display after selecting a Help menu from a program that contains the Feature Finder capabilities.

Figure 8 is an illustration of a Feature Finder dialog  
20 box screen display after selecting the Feature Finder menu item.

Figure 9 is an illustration of a Feature Finder screen display after the user typematically inputs a first letter, displaying the first instance of that letter in the Feature  
25 Finder library of terms.

Figure 10 is an illustration of a Feature Finder screen display after the user inputs a second letter, displaying the first instance of those two letters in the Feature Finder library of terms.

30 Figure 11 is an illustration of a Feature Finder dialog box screen display after selecting a key term list box expand option.

Figure 12 is an illustration of a Feature Finder screen display after selecting a desired key term.

35 Figures 13 and 14 illustrate a second example of selecting a key term.



Figure 15 illustrates a host program's dialog box for the requested feature.

Figures 16 and 17 illustrate an example of adding a new key term or editing an existing key term, or adding a new host program feature to the Feature Finder library.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

A preferred embodiment of the present invention is now described with reference to the figures where like reference numbers indicate identical or functionally similar elements. Also in the figures, the left-most digits of each reference number correspond to the figure in which the reference number is first used.

Figure 1 illustrates a computer system in which one embodiment of the present invention resides. The computer system 100 includes an input device 104 coupled to a central processing unit (CPU) 108, the CPU 108 is also coupled to a display monitor 106, a printer 110, a mass storage device 112 and random access memory (RAM) 116. During computer operation the RAM 116 includes an operating system 118 and a host program 120. The input device 104, CPU 108, display 106, printer 110, and mass storage 112 are all part of a conventional computing system, e.g., an International Business Machines (IBM) personal computer (made by IBM Corporation) or, for example, a Macintosh computer (made by Apple Computer, Cupertino, CA) or a Sun Microsystems computer. In some embodiments the computer system is coupled to a network 114. The RAM 116 includes an operating system 118 and also includes host program 120 that is described in greater detail below.

Figure 2 is a more detailed illustration of the host program 120. The host program 120 has several software modules including a Feature Finder module 202, a menu commands module 204, a functions module 206, and a data module 208. The Feature Finder module 202 is described in detail below. When implemented by the CPU 108 the menu commands module 204 generates the menu hierarchy on the

display 106. In addition, the menu commands module 204 communicates with the features module 206 and identifies the function to be performed. The features module 206, in conjunction with the CPU 108, performs the feature requested  
5 by the user 102. The data module 208 contains the data necessary to facilitate the proper operation of the host program 120.

Figure 3 represents a more detailed illustration of the Feature Finder module 202. The Feature Finder module  
10 includes several software components such as a database 302, a term recognizer 304, a term customizer 306, a controller 308, a menu generator 310, a feature identifier 312, and a feature caller 314. The database 302 contains a multitude of terms, term descriptions, hot keys, and commands to locate  
15 and access the host program's features, as described below. The term recognizer 304 matches an input term with a key term associated with a program feature. The term customizer 306 enables the user to customize the key terms associated with any program feature of the host program or any additional  
20 features, e.g., features from add-in programs. The controller 308 controls various administrative features of the Feature Finder module 202. The menu generator 310 adds the Feature Finder to the host program 120. The feature identifier 312 determines the feature associated with the key  
25 term. The feature caller 314 helps implement the chosen feature. The features performed by each component 302-314 of the Feature Finder module 202 are described in greater detail below with reference to Figures 4-5.

Figure 4A and 4B illustrate a flow chart showing a  
30 technique for creating a Feature Finder database 302 for a host program 120. After choosing 402 the host program 120 to which the Feature Finder module 202 is to be added, a feature of the host program 120 is chosen 403. One or more key terms are identified 404 that describe the chosen feature. One of  
35 these key terms is chosen 406 and the Feature Finder module 202 receives information pertaining to the key term and its associated feature. The Feature Finder receives 410 a menu

bar associated with the chosen key term, a textual description 414 of the associated feature, a description 416 of the short-cut keys that implement the command (these can be the short-cut keys designed in the host program 120 or a user-defined macro, for example), the commands 418 necessary to have the host program 120 implement the feature, and the location 422 of the menu where the feature can be accessed. Other information can also be input and stored in the database 302. For example, the limits of feature availability, e.g., an indication of the particular state or context that the host program 120 must be in order to access the chosen feature, as described below. Steps 406-422 are repeated 423 for each key term associated with a particular feature. Steps 403-423 are repeated 424 for each feature of the host program 120.

After creating the database 302, the Feature Finder module 202 can be added to the host program 120. The user can install the Feature Finder to be accessible from an application program menu, thus, "Feature Finder" can be one menu item in the "Help" menu of the host program 120. Adding the Feature Finder feature to a pre-existing menu can be accomplished by employing an installation program that locates the path to the host application, then the installation program makes a Windows Application Programming Interface (API) call to the menu system of the host program. The API call then locates the Help menu of the host program and adds a Feature Finder menu item as the last item in that Help Menu. Similar programming interfaces are used on the Macintosh operating systems and the Sun Microsystems workstation operating systems. Programs thus added to a host application are referred to as "Add-ins". An example of an Add-in is Doc-To-Help, by WexTech Systems Inc., New York, New York, which is a program that attaches to Microsoft Word and adds numerous menu items to various Word menus. In this fashion, the Add-in program extends the features and capabilities of the host application. Similarly, Feature Finder can be attached to most programs, thereby extending

the capabilities of the host application to be more easily used by expert and novice users alike; users will not be dependent on their knowledge of the host application's jargon or menu structure and can easily gain access to the features  
5 of the host application.

Figures 5A - 5C illustrate a flow chart describing a technique for utilizing the Feature Finder. The user selects  
502 the Feature Finder from the appropriate menu of the modified host program, e.g., the "Help" menu. The term  
10 recognizer 304 displays 504 a dialog box that requests that the user inputs a keyword describing a feature that the user wants to have performed. The user inputs 506 one or more letters of a keyword into the text entry list box until the typematic feature displays the desired keyword. The user  
15 then activates the list box, thereby displaying one or more choices alphabetically centered around a choice that most closely matches the combination of letters typed by the user. For example, if the Feature Finder module 202 is installed in conjunction with Microsoft Word and the user types "t" in the  
20 Feature Finder dialog box, the user is presented with a list of key terms from the database 302. In the center of the list is a key term beginning with the letter "t." If the user then types the letter "e", the user is presented with a list centered on a key term beginning with the first two  
25 letters "te." The user continues to enter letters until the desired key term is highlighted in the dialog box, i.e., the term recognizer 304 matches 510 the user term with a key term. If a match is found the user is given the option of modifying 513 the information associated with the matched key  
30 term. The technique for modifying the information associated with a key term is set forth below.

If no match is found the user is given the option 512 of customizing the Feature Finder program by adding a new key term or host program feature to the data base. The new key  
35 term can be any word or phrase that will help the user identify the associated feature. Examples of new key terms are foreign language terms, abbreviations, toolbar icon

names, e.g., "scissors", and terms describing a feature that was added to the host program 120 by the user, e.g., "dictionary". If a key term is to be modified or added to the database 302 the user inputs 514 the new term into the term customizer 306. The user inputs information into the term customizer 306 in order to complete a profile of the new key term. The profile information includes the name of the associated feature, the menu bar, a textual description of the associated feature, short-cut keys, commands, and the menu location of the feature. The new information is stored in the database 302. In an alternate embodiment, the customized data is stored in a second database and the information contained in the original database 302 is not modified. This enables the user to restore the original database 302 at any time.

The customized database 302 can be distributed to other users. Therefore, the database 302 can be customized by an individual or a corporation and distributed to all end-users. Add-in vendors can create a customized version of database 302 and include that with their Add-in, thereby extending Feature Finder's capabilities to access the special features of the Add-in programs.

A key term can be modified by altering the key-strokes necessary to implement the feature associated with the key term. If multiple users utilize the same copy of the host program 120, one user may create an easy technique for implementing a particular feature, e.g., by creating a macro or by putting the feature on the toolbar. By altering the key-stroke portion of the database 302, a subsequent user of the host program 120 can learn of the easier technique by using the Feature Finder module 202.

If the term that is input by the user matches 510 a key term, the controller 308 displays 522 the key term to the user in the dialog box. The controller 308 also displays 524 a list of description options representing the categories of information stored in the database 302, described above. The

user selects 528 the description option and the controller 308 displays 530 the description.

The user has the opportunity 534 to implement the feature associated with the matched key term. To implement 5 the feature, the user selects the implementation option from the dialog box. The feature identifier 312 determines whether the feature is available based on the state or context of the host program 120. In some host programs certain features are only available when the host program 120 10 is in a particular state. For example, in Microsoft Word the "cut" feature is only available if one or more letters or an object are highlighted by the cursor. If the associated feature is available, the feature caller 314 instructs the CPU to implement the command 538. If the feature 15 implementation requires additional information, the user will be prompted to provide such information. If the host program 120 is not in the state required to implement the feature the controller 308 displays a statement to this effect. The controller determines if it is possible to implement the 20 command by changing the state of the program. If the feature can be implemented the user is given the option of implementing the feature. The feature caller 314 then modifies the state of the program and the CPU 108 implements 538 the feature.

25 The above described method "levels" the menu-hierarchy of the host program 120. Levelling the menu-hierarchy is the method by which all features of the host program 120 are directly accessible from a menu item, e.g., the Feature Finder menu item 706. The Feature Finder menu item 706 is 30 described below with reference to figure 7. In contrast, features of the host program 120 are typically accessed indirectly by selecting one or more menus until the menu item containing the desired feature is available, as described above.

35 Figures 6-17 illustrate several examples of the technique described above with reference to Figures 5A-5C

using the Access program (Commercially available from the Microsoft Corporation).

Figure 6 is an illustration of a screen display of Microsoft Access. The screen display 600 contains a menu bar 602. The host program 120, e.g., Microsoft Access, displays different menu bars 602 depending on the program context. The term "program context" refers to the feature area or mode the user is currently accessing. For example, Microsoft Access displays the menu bar 602 shown in Figure 6 when in the "Form" context, i.e., when creating or modifying a form. A different menu bar is displayed when in the "Database" context. A menu bar 602 contains menus 604, 606, e.g., File, Edit, View, Records, Window and Help. Many host programs contain a Help menu 606. Typically, a help menu enables the user to view a description of the available features in the host program 120. A user selects the help menu if he wants to determine how to perform a feature in Microsoft Access.

Figure 7 is an illustration of a screen display 700 after selecting the Help menu. A menu box 702 containing several menu items 704, 706 of the help menu 606 is illustrated. Alternatively, a menu 604, 606 may contain one or more sub-menus or a combination of sub-menus and menu items. The nesting of sub-menus creates the menu hierarchy, described above. The present invention modifies the menu by adding an additional menu item, i.e., Feature Finder 706, as described above. In alternate embodiments the Feature Finder menu, item 706 can be added to any preexisting menu or it can be part of a new menu that is added to the menu bar 602.

Figure 8 is an illustration of a Feature Finder screen display 800. After selecting 502 the Feature Finder menu item 706, the term recognizer 304 displays 504 a dialog box 802 as illustrated in Figure 8. The dialog box 802 contains a key term list box 804, a key term list box expand option 806, an implement feature (Go To Feature Now) option 808, a key term editor (Work With Your Library Now) option 810, an exit Feature Finder option 812, a key term keyboard shortcut display 814, a key term menu layers display 816, a key term

feature description display 818, and a prerequisite ("Do First") display 820. The options and displays 802-820 of the dialog box 802 are described below.

In order to determine how to perform a feature using the  
5 host program 120, e.g., Microsoft Access, the user enters a  
key term into the key term list box 804. As described above,  
the key term describes the feature. When selecting or  
editing a key term the user typematically inputs 506 a term  
into the key term list box 804. Figure 9 is an illustration  
10 of a Feature Finder screen display 900 after the user  
typematically inputs 506 a first letter. After the user  
inputs the letter "s" the Feature Finder module 202 displays  
the key term "save" in the list box 804. "Save" is displayed  
because it is alphabetically the first key term in the  
15 database 302 that begins with the letter "s".

Figure 10 is an illustration of a Feature Finder screen  
display 1000 after the user inputs a second letter. The user  
inputs in the letter "t" and the key term "Status Bar" is  
displayed in the key term list box 804. The key term "Status  
20 Bar" is displayed because it is alphabetically the first key  
term in the database 302 that begins with the letters "st".  
If the preferred key term is displayed in the key term list  
box 804 the user can double click the key term list box  
(using a mouse or other pointing device) and the information  
25 associated with the chosen key term is displayed in the  
dialog box display areas 814-820. If the preferred key term  
is not displayed in the key term list box 804, the user can  
input another letter or the user can display a list of key  
terms centered around the displayed key term using the key  
30 term list box expand option 806.

Figure 11 is an illustration of a Feature Finder screen  
display 1100. After selecting the key term list box expand  
option 806 an expanded key term list box 1102 is displayed.  
Many key terms are displayed alphabetically in the expanded  
35 key term list box 1102. The user can select the preferred  
key term by clicking the desired key term 1104. The expanded  
key term list box 1102 has two portions, namely; a key term



list portion 1106, and a key term feature description portion 1108. The key terms are displayed in the key term list portion 1106. A brief description of the feature associated with the key term is displayed in the key term feature description portion 1108 to facilitate choosing a selection.

Figure 12 is an illustration of a Feature Finder screen display 1200. After selecting the preferred key term 1202, e.g., "Status Bar", various information concerning the preferred key term 1202 is displayed in the dialog box 802.

The key term keyboard shortcut display 814 displays a description of one or more keystroke combinations that will select and implement the feature associated with the key term. In the example illustrated in Figure 12 the keyboard shortcut is "ALT V O".

The key term menu layer display 814 displays how a user can manually locate the feature associated with the key term in the menu hierarchy. In this example, the "Status Bar" menu item is located several menus down the hierarchy. Specifically, the user would select the "View" menu, then the "Options" sub-menu and finally the "Category General" sub menu to manually access the status bar feature.

A description of the feature is displayed in the key term feature description display 818. It is possible that two identical key terms are present in the key term database 302. The feature description display 818 provides a description of the feature to help the user decide which key term is associated with the desired feature. For example, the key term "Delete" may appear twice in the key term database 302. One occurrence may be associated with cutting or deleting text. The second occurrence may be associated with object deletion. The key term feature description display 818 provides one technique for differentiating between identical key terms. Differentiating between identical key terms is also achieved by using the key term feature description portion 1108 of the key term list box 1102, described above.

The user has the option of implementing the chosen feature by selecting the "Go to Feature Now" option 808. The user can exit the Feature Finder menu item 706 by selecting the "Exit Feature Finder" option 812. The user can edit the  
5 selected key term by selecting the "Work With Your Library Now" option 810. An example illustrating the technique for adding or editing a key term is described below with reference to Figures 16 and 17.

Figures 13 and 14 illustrate a second technique for  
10 selecting a key term. After the user inputs the letter "c", the key term "Copy" 1302 is displayed in the key term list box 804. The user can double click the key term list box 804 to display information associated with the "Copy" key term in the dialog box 802. As stated above, the user must select  
15 the text to be copied before performing a "copy" command. The Feature Finder module 202 alerts the user of this prerequisite in the "Do First" display 820. Also, the Controller 308 intercepts requests which either have not met the "Do First" condition or which are in the wrong context  
20 and displays an appropriate message box.

The Keyboard Shortcuts, Menu Layer, and Do First information is provided as an educational feature to help users to more efficiently use the host program 120.

Occasionally, in order to fully implement a feature,  
25 additional information is required during feature implementation. Figure 15 illustrates an example of such an occurrence. The user selects the key term "Design standards for forms & reports" using one of the techniques described above. The user implements the feature associated with the  
30 key term by selecting the "Go To Feature Now" option 808. The "Form & Report Design" feature is associated with the "Design standards for forms & reports" key term. The Feature Finder module 202 implements this feature. When implementing the "Form & Report Design" feature in Microsoft Access a  
35 dialog box having a category box 1504 and an items box 1506 is displayed. The user is given the opportunity to modify the status of the items in the items box 1506. The user

selects the "OK" option 1508 when complete and the implementation of the "Form & Report Design" feature is continued.

Figures 16 and 17 illustrate an example of adding a new  
5 key term to the database 302 or editing an existing key term. A user selects the "Work With Your Library Now" (editor) option 810 to add or modify a key term. After selecting the editor option 810 the editor dialog box 1602 is displayed. The user decides whether to add or edit a key term. To add a  
10 new key term to the database 302 the user selects the add key term option 1604. The user inputs the appropriate information into the information boxes 1616-1628, discussed below, and then selects the save key term option 1606. To edit an existing key term, the user typematically enters a  
15 key term. The key term is displayed in the key term list box 1614. To display information for an existing key term, the user can double click the key term list box 1614 or select the expand key term list box option 1630 to select the appropriate key term in accordance with the typematic key  
20 term selection technique described above. The "double click" selection technique is accomplished using a mouse or trackball, for example.

After selecting a key term, e.g., "Snap to Grid", information concerning the key term is displayed in the  
25 information boxes 1616-1628 of the editor dialog box 1602 as illustrated in Figure 17. The user selects the information box whose information is to be modified. The key term information box 1616 contains the key term that is being added or modified. As described above, the key term  
30 identifies a feature of the host program 120. The keyboard shortcuts information box 1618 contains a description of the keyboard shortcut keystroke combinations, if any, that select the host program feature that is associated with the key term. The sendkey commands information box 1620 contains the  
35 programming code that invokes the feature. This programming information is used when implementing 538 the feature. The user can enter the sendkey command information manually or by

using a "Record" feature. To use the record feature the user selects the "Begin Recorder" option 1608. The editor dialog box 1602 is replaced by the appropriate screen display of the host program 120, e.g., the main menu screen. The user then  
5 manually causes the feature to be executed by, e.g., selecting the appropriate menu item or implementing a keyboard shortcut. The user returns to the editor dialog box 1602 by selecting an "Recording Complete" option, not shown. The user can insert the recorded instruction into the sendkey  
10 commands information box 1620 by selecting the insert recorded instructions option 1610.

The menu hierarchy information box contains the hierarchy of menus that must be selected in order to manually implement the feature. The Menu Bar Name Information box  
15 1624 contains the name of the menu bar from which the menu hierarchy is based. As described above, some host programs 120 have multiple menu bars. The information in the menu bar information box 1624 enables the Feature Finder to determine whether the application is in the proper state or context to  
20 implement the feature. The Feature Description Information box 1626 contains information describing the feature. The Do First information box 1628 contains a description of the prerequisites of the feature, as described above.

When editing a key term, the user can change the  
25 information contained in any of the information boxes 1616-1628. When adding a new key term, the user should enter all appropriate information into the information boxes 1616-1628.

The invention efficiently locates program features in a menu-oriented host program 120. The invention enables a user  
30 to locate a feature in a menu-based program by flattening the hierarchy without requiring prior knowledge of the terms used in the menu-oriented program. Additionally, the invention permits the user to customize the system by inputting user-defined terms and associating the terms with a particular  
35 feature.

CLAIMS

What is claimed is:

1. A method for accessing a feature of a host computer  
5 program having a menu hierarchy, the host computer program  
and a custom library of terms stored in a memory module of a  
computer, the method comprising the steps of:
  - (a) storing a first user defined term in the custom  
library, said first user defined term associated with a first  
10 feature of the host computer program;
  - (b) matching a user input with said first user defined  
term; and
  - (c) associating said first user defined term with said  
first feature of the host computer program to directly access  
15 said first feature.
2. The method of claim 1, wherein said first user  
defined term is one or more user defined words that are  
associated with said first feature.
3. The method of claim 2, further comprising the step  
20 of implementing said first feature.
4. The method of claim 3, wherein said first user  
defined term is associated with a description of said first  
feature.
5. The method of claim 4, further comprising the step  
25 of modifying said custom library by associating a second user  
defined term with said first feature.
6. The method of claim 4, further comprising the steps  
of: selecting a second user defined term associated with a  
second feature of the host computer; and  
30 repeating steps (b) and (c) for said second feature.
7. The method of claim 4, wherein the step of leveling  
the menu hierarchy comprises the steps of:
  - highlighting said first user defined term from said  
plurality of user defined terms; and  
35 selecting said first user defined term.
8. The method of claim 7, wherein the step of  
implementing the first feature comprises the step of

displaying one or more menu selections of the menu hierarchy that are used to implement the first feature to assist the user in implementing said first feature.

9. The method of claim 8, further comprising the step  
5 of displaying said description associated with said first user defined term.

10. The method of claim 9, wherein said description of said first user defined term is textual.

11. The method of claim 8, wherein the step of  
10 implementing said first feature further comprises the step of requesting additional information concerning the operation of said first feature.

12. A system having a custom library stored in a memory module and a processor, for directly accessing a feature of a  
15 host computer program having a menu hierarchy, comprising:

a feature accessor, located in the memory module, having an input adapted to receive a user input for directly accessing a feature of a host computer program by matching said user input with a first user defined term defined by a  
20 user and stored in the custom library in the memory module;  
and

a feature associator, responsive to said feature accessor, having an input adapted to receive said matched first user defined term, for associating said user defined  
25 term with a first feature of said host computer program.

13. The system of claim 12, further comprising an implementor, coupled to the processor, for implementing said first feature.

## AMENDED CLAIMS

[received by the International Bureau on 29 April 1996 (29.04.96);  
original claims 1-13 replaced by amended claims 1-27 (6 pages)]

1. A method for implementing a first feature of a computer program without invoking a menu hierarchy of the computer program that is associated with the first feature, the computer program and a defined library of terms stored in a memory module, the defined library of terms comprising pre-programmed terms and user defined terms, the method comprising the
- 5 steps of:
- (a) receiving a user input comprising one or more characters;
  - (b) automatically comparing said one or more user input characters with the defined library of terms to identify said user input with a first user defined term of the defined library of terms;
  - 10 (c) determining the first feature that is associated with the first user defined term ;
  - (d) providing information to the user after steps (a) and (b), said information describing the first feature to the user, said information being one of a description of the feature performed by the first feature, a description of a program context that is required by the computer program to implement the first feature, and a description of input commands necessary for the
  - 15 user to manually implement the first feature; and
  - (e) implementing the first feature, after identifying said user input with the first user defined term, without utilizing the menu hierarchy associated with the first feature.
2. The method of claim 1, wherein said first user defined term is one or more user
- 20 defined words that are associated with the first feature.
3. The method of claim 1, wherein said first user defined term is associated with a description of the first feature.
- 25 4. The method of claim 3, further comprising the steps of:
- selecting a second user defined term associated with a second feature of the computer;
  - and
  - repeating steps (a) through (e) for said second feature.

5. The method of claim 1, further comprising the step of storing a first user defined term in the defined library, comprising the steps of:

- (i) receiving said user defined term;
- (ii) associating said user defined term with said first feature, said first feature associated with a description of said first feature, said description including one of a prerequisite command and a prerequisite context for performing said first feature; and
- (iii) storing the information received in steps (i)-(ii).

6. The method of claim 5, further comprising the step of modifying said defined library by associating a second user defined term with the first feature.

7. The method of claim 1, wherein the step of implementing the first feature comprises one of:

- directly implementing the first feature without displaying said menu hierarchy associated with the first feature; and
- displaying one or more menu selections of the menu hierarchy that are used to implement the first feature to assist the user in implementing the first feature.

8. The method of claim 1, wherein the step of implementing the first feature includes the step of directly implementing the first feature without utilizing said menu hierarchy associated with the first feature.

9. The method of claim 8, wherein said description of information provided to the user describing the first feature is in the form of one of textual, graphical, and audible.

10. The method of claim 8, wherein the step of implementing the first feature further comprises the step of requesting additional information concerning the operation of the first feature.



11. The method of claim 8, wherein said step of providing information to the user includes the step of displaying first feature prerequisite information that describes one of a prerequisite command and a prerequisite context for performing said first feature, when one of said prerequisite command and said prerequisite context are required by the computer program to  
5 perform the first feature.

12. The method of claim 8, wherein said direct implementation is accomplished using application programming interface calls.

10 13. The method of claim 1, further comprising the steps of:  
selecting a pre-programmed term associated with a second feature of the computer; and  
repeating steps (a) through (e) for said second feature.

14. The method of claim 1, wherein said receiving step comprises the step of  
15 receiving a character that is input by a user.

15. The method of claim 14, wherein said automatically comparing step comprises the steps of:  
systematically displaying a second term of said library of terms, said second term having  
20 one or more initial characters corresponding to said received characters; and  
repeating said receiving a character step and said systematically displaying step.

16. The method of claim 1, wherein steps (a)-(d) are performed after the user selects one of an icon, a menu item, and a typing key combination from the computer program.

25 17. A method for implementing a first feature of a computer program without invoking a menu hierarchy of the computer program that is associated with the first feature, the computer program and a defined library of terms stored in a memory module, the defined library

of terms comprising pre-programmed terms and user defined terms, the method comprising the steps of:

- (a) receiving a user input comprising one or more characters;
- (b) automatically comparing said one or more user input characters with the defined
- 5 library of terms to identify said user input with a first term of the defined library of terms;
- (c) determining the first feature that is associated with the first term;
- (d) providing information to the user after steps (a) and (b), said information
- describing the first feature to the user, said information being one of a description of the feature
- performed by the first feature, a description of a program context that is required by the computer
- 10 program to implement the first feature, and a description of input commands necessary for the
- user to manually implement the first feature; and
- (e) implementing the first feature, after identifying said user input with the first,
- without utilizing the menu hierarchy associated with the first feature.

15 18. The method of claim 17, wherein said first term is one or more words that are associated with the first feature.

19. The method of claim 18, wherein the step of implementing the first feature includes the step of directly implementing the first feature without displaying said menu

20 hierarchy associated with the first feature.

20. The method of claim 19, wherein said step of providing information to the user includes the step of displaying first feature prerequisite information that describes one of a prerequisite command and a prerequisite context for performing said first feature, when one of

25 said prerequisite command and said prerequisite context are required by the computer program to completely implement the first feature.

21. The method of claim 19, wherein said direct implementation is accomplished using application programming interface calls.

22. The method of claim 19, wherein said receiving step comprises the step of receiving a character that is input by a user.

5 23. The method of claim 22, wherein said automatically comparing step comprises the steps of:  
typematically displaying a second term of said library of terms, said second term having one or more initial characters corresponding to said received characters; and  
repeating said receiving a character step and said typematically displaying step.

10 24. The method of claim 17, further comprising the step of storing a first user defined term in the defined library, comprising the steps of:  
(i) receiving said user defined term;  
(ii) associating said user defined term with said first feature, said first feature  
15 associated with a description of said first feature, said description including one of a prerequisite command and a prerequisite context for performing said first feature; and  
(iii) storing the information received in steps (i)-(ii).

25 25. The method of claim 17, wherein said computer program is one of a computer application program and a computer operating system.

26. The method of claim 17, further comprising the step of storing said first term in the defined library, comprising the steps of:  
(i) identifying said first term;  
25 (ii) associating said first term with said first feature;  
(iii) receiving a description of said first feature;  
(iv) receiving first feature prerequisite information that describes one of a prerequisite command and a prerequisite context for performing said first feature, said prerequisite command, and said prerequisite context required by the host computer program; and

(v) storing said description and said first feature prerequisite information received in steps (i)-(iv).

27. A computer-based system having a defined library of terms stored in a memory module and a processor, for implementing a first feature of a computer program without invoking a menu hierarchy of the computer program that is associated with the first feature, the computer program and the defined library of terms stored in the memory module, the defined library of terms comprising pre-programmed terms and user defined terms, comprising:
- an input means for receiving a user input comprising one or more characters;
  - 10 a comparator, responsive to said input means, for automatically comparing said one or more user input characters with the defined library of terms to identify said user input with a first term of the defined library of terms;
  - a determinator, responsive to said comparator, for determining the first feature that is associated with the first term;
  - 15 a information provider, responsive to said comparator and coupled to said storage means, for providing information to the user in response to said comparator, said information describing the first feature to the user, said information being one of a description of the features performed by the first feature, a description of a program context that is required by the computer program to implement the first feature, and a description of input commands necessary for the user to
  - 20 manually implement the first feature; and
  - a feature implementor, responsive to said determinator, for implementing the first feature without utilizing the menu hierarchy associated with the first feature.

1/20




Figure 1

2/20




Figure 2




Figure 3

4/20




Figure 4A



5/20




Figure 4B

6/20




Figure 5A




Figure 5B

8/20




Figure 5C

9/20




Figure 6

10/20




Figure 7

11/20






Figure 8


12/20





13/20








Figure 12

1200




Figure 13




Figure 14

18/20





Figure 15

19/20






Figure 17



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US95/15478

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : G06F 17/30, 3/00

US CL : 395/700, 155, 156, 160; 364/DIG I, DIG II, 948.21, 948.22

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 395/700, 155, 156, 160; 364/DIG I, DIG II, 948.21, 948.22

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

CUSTOMIZ?, MENU, HIERARCHY, INVOK?

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US,A,5,287,514(Gram) 15 February, 1994, see col. 1, lines 21-27, lines 56-61, col. 5 lines 47-49;  see col. 2, line 3;  see col. 5, lines 22-30, col.6, lines 11-20.	1,12, 3-4, 6-10  5  2, 11, 13

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be part of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\* document member of the same patent family

Date of the actual completion of the international search

08 FEBRUARY 1996

Date of mailing of the international search report

28 FEB 1996

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

MAJID A. BANANKHAH

Telephone No. (703) 305-9600

**THIS PAGE BLANK (USPTO)**